

Specifications



Photo is representative

Eaton EBBRB154 WT150FDB 3

Eaton Crouse-Hinds series Arktite EBBR interlocked receptacle, 150A, 150A circuit breaker, Three-wire, four-pole, Solid door, With breaker, Style 2, Cutler-Hammer, Copper-free aluminum, Spring door, 1-1/2", 480 Vac/250 Vdc, Size B

General specifications

PRODUCT NAME	Eaton Crouse-Hinds series Arktite EBBR interlocked receptacle
CATALOG NUMBER	EBBRB154 WT150FDB 3
UPC	662276191730
PRODUCT LENGTH/DEPTH	14.06 in
PRODUCT HEIGHT	32.2 in
PRODUCT WIDTH	10.25 in
PRODUCT WEIGHT	0.999 lb
PRODUCT TYPE	Interlocked receptacle

Certifications and compliances

AREA CLASSIFICATION	Hazardous/Classified Locations
STANDARDS TYPE	NEC/CEC
NEC HAZARDOUS RATING	Class I, Division 1 Class I, Division 2 Class II, Division 1 Class II, Division 2 Class III
NEMA RATING	3 3R 7 9 12

Product specifications

RECEPTACLE STYLE	Spring door
ENCLOSURE TYPE	With breaker
AMPERAGE RATING	150A
GROUNDING STYLE	Style 2
CONFIGURATION	Three-wire, four-pole
TRADE SIZE	1-1/2"
VOLTAGE RATING	480 Vac/250 Vdc
CIRCUIT BREAKER AMPERAGE	150A
MANUFACTURER	Cutler-Hammer
DOOR STYLE	Solid
MATERIAL	Copper-free aluminum

Resources

3D MODELS	SP3D Design Package - Arktite EBBR Explosionproof Interlocked Receptacles with Enclosed Circuit Breakers
CATALOGS	Arktite EBBR Explosionproof Interlock Receptacles catalog page
CERTIFICATION REPORTS	Arktite EBBR Explosionproof Interlock Receptacles with Enclosed Circuit Breakers UL certification Arktite EBBR Explosionproof Interlock Receptacles with Enclosed Circuit Breakers Canadian certification
INSTALLATION INSTRUCTIONS	IF 1224 - EBBR Interlocked Receptacle IF 1311 - EBBR Replacement Kit
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - EBBRB154 WT150FDB 3

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

