

TCB**GRANT OF EQUIPMENT
AUTHORIZATION****TCB****Certification****Issued Under the Authority of the
Federal Communications Commission****By:****Siemic Inc.
775 Montague Expressway
Milpitas, CA 95035****Date of Grant: 12/20/2017****Application Dated: 12/20/2017****Honeywell International Inc
9680 Old Bailes Rd
Fort Mill, SC 29707****Attention: Michael Robinson , Product Compliance****NOT TRANSFERABLE**

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER: HD5-CT60L0N
Name of Grantee: Honeywell International Inc
Equipment Class: Part 15 Spread Spectrum Transmitter
Notes: Dolphin CT60

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
28 CC	15C	2402.0 - 2480.0	0.005		

Class II Permissive Change as described in this filing. Power listed is the maximum conducted output power. Collocated transmitter operating configurations have been evaluated as described in this filing; other collocation configurations require separate evaluation. SAR compliance for body-worn operating configurations is limited to the belt-clips, holsters or similar accessories that have no metallic component in the assembly and must provide at least 1 cm separation between the device and the user's body. End-users must be informed of the body-worn operating requirements for satisfying RF exposure compliance. The highest reported SAR values for Body-worn, Body Holser 1, Body Holser 2, and Product Specific(SAR-10g) use conditions are 0.00 W/kg, 0.00 W/kg, 0.00W/kg and 0.00 W/kg, respectively.

28: An AC adapter incorporating a ferrite core at the connector end of its DC line must be provided with every unit sold.

CC: This device is certified pursuant to two different Part 15 rules sections.

TCB**GRANT OF EQUIPMENT
AUTHORIZATION****TCB****Certification****Issued Under the Authority of the
Federal Communications Commission****By:****Siemic Inc.
775 Montague Expressway
Milpitas, CA 95035****Date of Grant: 12/20/2017****Application Dated: 12/20/2017****Honeywell International Inc
9680 Old Bailes Rd
Fort Mill, SC 29707****Attention: Michael Robinson , Product Compliance****NOT TRANSFERABLE**

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER: HD5-CT60L0N
Name of Grantee: Honeywell International Inc
Equipment Class: Digital Transmission System
Notes: Dolphin CT60

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
28 CC	15C	2402.0 - 2480.0	0.001		
28 CC	15C	2412.0 - 2462.0	0.344		

Class II Permissive Change as described in this filing. Power listed is the maximum conducted output power. Collocated transmitter operating configurations have been evaluated as described in this filing; other collocation configurations require separate evaluation. SAR compliance for body-worn operating configurations is limited to the belt-clips, holsters or similar accessories that have no metallic component in the assembly and must provide at least 1 cm separation between the device and the user's body. End-users must be informed of the body-worn operating requirements for satisfying RF exposure compliance. The highest reported SAR values for Head, Body-worn, Body Holser 1, Body Holser 2, and Product Specific(SAR-10g) use conditions are 0.43 W/kg, 0.15 W/kg, 0.06W/kg, 0.09W/kg and 0.41 W/kg, respectively. This device has 20MHz bandwidth mode.

28: An AC adapter incorporating a ferrite core at the connector end of its DC line must be provided with every unit sold.

CC: This device is certified pursuant to two different Part 15 rules sections.

TCB**GRANT OF EQUIPMENT
AUTHORIZATION****TCB****Certification****Issued Under the Authority of the
Federal Communications Commission****By:****Siemic Inc.
775 Montague Expressway
Milpitas, CA 95035****Date of Grant: 12/20/2017****Application Dated: 12/20/2017****Honeywell International Inc
9680 Old Bailes Rd
Fort Mill, SC 29707****Attention: Michael Robinson , Product Compliance****NOT TRANSFERABLE**

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER: HD5-CT60L0N
Name of Grantee: Honeywell International Inc
Equipment Class: Part 15 Low Power Communication
Device Transmitter
Notes: Dolphin CT60

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
28 CC	15C	13.56 - 13.56			

Class II Permissive Change as described in this filing. The antenna(s) used for this transmitter must not be collocated or operating in conjunction with any other antenna or transmitter, except as evaluated in this filing. End users must be informed of the body worn requirements for satisfying RF exposure compliance.

28: An AC adapter incorporating a ferrite core at the connector end of its DC line must be provided with every unit sold.

CC: This device is certified pursuant to two different Part 15 rules sections.

TCB**GRANT OF EQUIPMENT
AUTHORIZATION****TCB****Certification****Issued Under the Authority of the
Federal Communications Commission****By:****Siemic Inc.
775 Montague Expressway
Milpitas, CA 95035****Date of Grant: 12/20/2017****Application Dated: 12/20/2017****Honeywell International Inc
9680 Old Bailes Rd
Fort Mill, SC 29707****Attention: Michael Robinson , Product Compliance****NOT TRANSFERABLE**

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER: HD5-CT60L0N
Name of Grantee: Honeywell International Inc
Equipment Class: **Unlicensed National Information
Infrastructure TX**
Notes: **Dolphin CT60**

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
28 38 CC	15E	5180.0 - 5240.0	0.038		
28 38 CC ND	15E	5260.0 - 5320.0	0.038		
28 38 CC ND	15E	5500.0 - 5720.0	0.038		
28 38 CC ND	15E	5745.0 - 5825.0	0.038		

Class II Permissive Change as described in this filing. Power listed is the maximum conducted output power. Collocated transmitter operating configurations have been evaluated as described in this filing; other collocation configurations require separate evaluation. SAR compliance for body-worn operating configurations is limited to the belt-clips, holsters or similar accessories that have no metallic component in the assembly and must provide at least 1 cm separation between the device and the user's body. End-users must be informed of the body-worn operating requirements for satisfying RF exposure compliance. The highest reported SAR values for Head, Body-worn, Body Holser 1, Body Holser 2, and Product Specific(SAR-10g) use conditions are 0.49 W/kg, 0.19 W/kg, 0.09W/kg, 0.13W/kg and 0.40 W/kg, respectively. This device has 20/40/80MHz bandwidth modes.

- 28: An AC adapter incorporating a ferrite core at the connector end of its DC line must be provided with every unit sold.
- 38: This device has shown compliance, in all grant-listed U-NII sub-bands, with the new rules for U-NII devices adopted under Docket No. 13-49 and may be marketed, manufactured or imported after the June 1, 2016 transition deadline.
- CC: This device is certified pursuant to two different Part 15 rules sections.
- ND: This UNII device complies with the Transmit Power Control (TPC) and Dynamic Frequency Selection (DFS) requirements in Section 15.407(h).